









(20) TYPICAL FURRED COLUMN
1 1/2" = 1'-0"



(21) 2 HR RATED CEILING
AT LEVEL 1 PUMP ROOM
3" = 1'-0"

(16) TYPICAL FURRED COLUMN
3" = 1'-0"



(17) HEAD
TYPICAL TRAVERTINE WALL
3" = 1'-0"



(18) PARTITION DETAIL
1 1/2" = 1'-0"



(22) BASE
3" = 1'-0"



(19) PARTITION DETAIL
BASEMENT LEVEL 1 NO SCALE

MAXIMUM ALLOWABLE SPANS		
STUD SIZE	GAUGE	ALLOW STUD SPAN
2 1/2 CH	18	6'-6
3" CH	22	8'-6
4 CH	25	9'-1
6 CH	20	13'-6

CONC SLAB OR METAL DECK SEE FLOOR PLANS

POWDER DRIVEN FASTENER @ 24" OC WOOD BASE PULL OUT

CH STUDS @ 24" OC 1 LAYER GYP BD LINER BOARD & 2 LAYERS 1/2" GYP BD

1/2" x 1/2" SCREWS @ 24" OC



(23) 2 HOUR RATED ENCLOSURE

(9) TYP HORIZONTAL JOINT
3" = 1'-0"



(10) WALL DETAIL
3" = 1'-0"



(11) TYPICAL VERTICAL JOINT
3" = 1'-0"



(12) TYPICAL OUTSIDE CORNER
3" = 1'-0"



(13) JOINT
TRAVERTINE / TRAVERTINE
3" = 1'-0"



(14) JOINT
TRAVERTINE & GRANITE PAVER
3" = 1'-0"



(15) JOINT
CARPET & GRANITE PAVER
3" = 1'-0"

(5) HEAD
CAGED OPENING
3" = 1'-0"



(6) HEAD
CAGED OPENING
3" = 1'-0"



(7) JAMB
CAGED OPENING
3" = 1'-0"



(8) BASE
3" = 1'-0"



(1) WALL / CEILING DET @ WOOD PANELING
3" = 1'-0"

(2) TRAVERTINE / WOOD PANELING DET
3" = 1'-0"



(3) JAMB
CAGED OPENING
3" = 1'-0"



(4) BASE
3" = 1'-0"

Norwalk
Building 43
Norwalk, California

Skidmore, Owings & Merrill
Architects/Engineers
One Maritime Plaza
San Francisco, California

Jaros, Baum & Bolles
Consulting Engineers
345 Park Avenue
New York, New York

Approved for the Owner by

Approved for by Architect by — C-1846

Drawn by R. DAVID JOHANSEN — Job Number 8350

Checked by R. ERASTANO — Date 12 17 81

Revisions

No	Revisions indicated thus △	Date
	ADDENDUM NO 12	12 15 81
	ISSUED FOR PLAN CHECK	1 29 82
	ISSUED FOR BIDS	2 26 82
△1	ADDENDUM NO 31	3 24 82
	ADDENDUM NO 37 — FOR BUILDING PERMIT	6-30-82
△2	ADDENDUM NO 99	1 13 83

KEY PLAN



PARTITION DETAILS

SCALE AS NOTED

A-221