SEE PLAN FOR PARTITION TYPE
1½"
H.M. FRAME
CLEAR, LAMINATED GL
OPG. DIM

GYP BD OR STUCCO, SEE PLAN FOR PARTITION TYPE
3/16" ALUM PLATE SEE DET 20 SHT. A III
OMIT
3/16" ALUM PLATE OVER HOLLOW MET. DOOR
2'-2½"

CONC BLOCK OR CONC. WALL
SHEET METAL ENCLOSURE
GUIDE BEYOND
WALL BEYOND

FRAME WIDTH VARIES
DOOR
TRAVERTINE OR QUARRY TILE
CERAMIC TILE OR CONC.

1" CEMENT STUCCO
MET PANEL OVER SUB & LT
(2) LAYERS 5/8 GYP BD OR 1" CEMENT STUCCO WHERE OCCURS OVER 6" STUDS
EGA GGF FLASHING @ HEAD
WOOD PANELING
SEE PLAN FOR PARTITION TYPE
CEILING WHERE OCCURS

FRAME WIDTH VARIES
DOOR WHERE OCCURS
MARBLE SADDLE, EASE EDGES
CERAMIC TILE
6½" MIN
CARPET W/ CARPET STOP OR TRAV WHERE OCCURS

31 HEAD
JAMB SIM. 3"=1'-0

8"x12" GA RUNNER
1" CEMENT STUCCO
MET. PANEL
T&G 2"x8" x 10" ALT. AROUND OPG.
EGA GGF FLASHING @ HEAD
H.M. DOOR & FRAME

29 JAMB
½ F.G. 3"=1'-0

CONC. BLOCK
MORTAR JOINT
GROUT FILL
6 1/8" TYP
DOUBLE, CLEAR LAMINATED GLASS IN HOLLOW METAL FRAME
DIM OPG

24 HEAD @ ROLL UP DOOR
1"=1'-0

FACE OF CONC.
SHEET METAL ENCLOSURE
DOOR GUIDE BEYOND

19 SILL
3"=1'-0

FRAME WIDTH VARIES
DOOR
TRAVERTINE
CARPET / VAT WHERE OCCURS

13 JAMB
HEAD SIM 3"=1'-0

STRUCTURAL STEEL GUIDES
METAL ROLL UP DOOR
CONC WALL
INSIDE

7 JAMB
3"=1'-0

CURB BEYOND @ JAMB DET
7/8" CEMENT STUCCO SEE PLAN FOR PARTITION TYPE
EGA GGF FLASHG @ HEAD
½"
OPG DIMENSION
GYP BD ASSEMBLY VARIES

1 SILL
3"=1'-0

CURB BEYOND WHERE OCCURS, HT VARIES
REMOVABLE GROP WITH PAN HEAD SCREWS
SLOPE TO DRAIN
WEEP HOLES
DOOR JAMB BEYOND
DOOR SHOE W. DRIP
SEAL BOTTOM OF JAMB BEYOND
VARIES SEE PLAN
FLASHING AT CONC CURB

32 HEAD (JAMB SIM)
WINDOW WASHING EQUIP DOOR 3"=1'-0

FRAME WIDTH VARIES
AUTOMATIC DOOR BOTTOM
MADE SADDLE
VAT WHERE OCCURS TRAVERTINE OR CARPET W CARPET STOP WHERE OCCURS

30 JAMB
HEAD SIM. 3"=1'-0

METAL PANEL AT WALL BEYOND
6 1/8" x 1'-5" DOOR IN CLEARANCE
DOOR IN OPEN POSITION
HEAD FRAME SIM SAME AT JAMB

26 HEAD @ ROLL UP DOOR
1"=1'-0

20 SILL
3"=1'-0

FRAME WIDTH VARIES
DOOR
ALUM THRESHOLD
MAT OR QUARRY TILE

14 JAMB
3"=1'-0

CONC OR CONC BLOCK
METAL ROLL UP DOOR
STRUCT STEEL GUIDES, SEE MARK

8 HEAD
JAMB SIM. 3"=1'-0

5/16" HM PANEL AT AROUND FURR LEVEL 2) ONLY 5/8" GYP BD 1 TYP FLOORS
SHIM MET STUDS H 2 WHERE 1 TYP
H.M. DOOR FRAME
SEE PLAN FOR PARTITION TYPE

2 SILL
3"=1'-0

FRAME WIDTH VARIES
DOOR W FRAME BEYOND
VAT WHERE OCCURS
CARPET W/ CARPET STOP WHERE OCCURS

33 SILL
3"=1'-0

CURB BEYOND HT VARIES
SLOPE
DOOR SHOE W. DRIP
3" Ø BENT GREEL PV SLOPE TO DRAIN
FLASHG. ASSY
SEE PLAN

34 SILL
WINDOW WASHING EQUIP DOOR 3"=1'-0

27 ELEVATOR LOBBY FIRE DOOR PLAN
TYPICAL FLOORS, LEVELS 2-8
½"=1'-0

SEE PLAN FOR PARTITION TYPE TYPICAL
1'-6"
7'-3"
3'-0"
1'-6"
12'-3"

21 SILL
3"=1'-0

(2) LAYER 5/8 GYP BD OVER 3½" & 25GA STUDS @ 16 O.C.
H.M. PANEL TO MATCH DOOR
DOOR IN OPEN POSITION

15 JAMB
3"=1'-0

(2) LAYERS 5/8 GYP BD OVER 2½ MET STUDS @ 16" O.C.
(2) LAYERS 5/8 GYP BD EA SIDE OF MET STUDS
H.M. FRAME H.M. DOOR W/ TYPE 2 CLADDING
SHAPED TRAVERTINE, ANCHOR TO L W NIRE & MORTAR SPOT

9 JAMB
3"=1'-0

SEE PLANS FOR PARTITION TYPE
CEILING WHERE OCCURS
H.M. DOOR W TH TYPE 2 CLADDING W DOORS 2'-2B 2'-2B 2'-2B & 2'-2B 3'-0

3 SILL
3"=1'-0

FRAME WIDTH VARIES
HALF SADDLE
VAT WHERE OCCURS
CARPET W/ CARPET STOP OR TRAVERTINE WHERE OCCURS

4 SILL
3"=1'-0

FRAME WIDTH VARIES
DOOR
CERAMIC TILE

22 HEAD DETAIL
ELEV LOBBY FIRE DOOR 3"=1'-0

DOOR IN OPEN POSITION

16 HEAD
3"=1'-0

TRAV
SHAPED TRAVERTINE ANCHOR TO STEEL L & MET STUD
H.M. DOOR W/ TYPE 2 CLADDING
H.M. DOOR FRAME
MORTAR SPOT
(2) LAYERS 5/8 GYP BD OVER METAL STUDS

10 HEAD
JAMB SIM. 3"=1'-0

FOR PARTITION TYPE SEE PLANS
CEILING WHERE OCCURS

17 JAMB
3"=1'-0

DOOR IN CLOSED POSITION
STAINLESS STEEL CARPET SEPARATOR TO MATCH JAMB FINISH
JAMB BEYOND
CARPET & PAD

11 HEAD
JAMB SIM 3"=1'-0

CONC BLOCK OR CONC.
MORTAR JOINT
GROUT FILL
6 1/8 TYP

5 SILL
3"=1'-0

FRAME WIDTH VARIES
DOOR
AUTOMATIC DOOR BOTTOM
VAT WHERE OCCURS
CARPET W CARPET STOP WHERE OCCURS

35 JAMB
3"=1'-0

12 GA REINF FLOOR TO SLAB ABOVE
JAMB WITHOUT PARTITION
METAL PANEL DOOR
"A"
CL DOOR

28 JAMB
ELEV LOBBY FIRE DOOR

SEE PLAN FOR PARTITION TYPE
6 1/8
3 1/2
1 3/4
2 1/2

23 JAMB
ELEV LOBBY FIRE DOOR 3"=1'-0

SEE PLAN FOR PARTITION TYPE
6 1/8
3½
8"
2"
DOOR IN OPEN POSITION
AS GENERAL AT ACTIVE LEAF

18 SILL
ELEV LOBBY FIRE DOOR 3"=1'-0

12 JAMB
HEAD SIM 3"=1'-0

6 SILL
3"=1'-0

FRAME WIDTH VARIES
DOOR
VAT WHERE OCCURS
CARPET W CARPET STOP WHERE OCCURS

Norwalk
Building 43
Norwalk, California

Skidmore, Owings & Merrill
Architects/Engineers
One Maritime Plaza
San Francisco, California

Jaros, Baum & Bolles
Consulting Engineers
345 Park Avenue
New York, New York

Approved for the Owner by

Approved for the Architect by C-13846

Drawn by A. DOMANGEN — Job Number 10795-200

Checked by G. CRAZIANO — Date

Revisions

No	Revisions indicated thus Δ	Date
	ISSUED FOR PLAN CHECK	12 9 82
	ISSUED FOR SHOP DRAWINGS BID	3 1 83
	ISSUED FOR HOLLOW METAL DOORS & FRAME BID	3 1 83
	ISSUED FOR GYPSUM WALLBOARD BID	3 4 83
	ISSUED FOR CONC. BLOCK BID	3 4 83
1	ADDENDUM NO 51	3 14 83
2	ADDENDUM NO 53	3 17 83
	ISSUED FOR BUILDING PERMIT	4-20-83
3	ADDENDUM NO. 62 ISSUED FOR HANDICAPPED HARDWARE	7 1 83
4	ADDENDUM NO 73	9 19 83

KEY PLAN

N

DOOR DETAILS

SCALE :3" = 1'0"

A-223