

Norwalk, California

Skidmore, Owings & Merrill
Architects/Engineers
One Maritime Plaza
San Francisco, California

Jaros, Baum & Bolles
Consulting Engineers
345 Park Avenue
New York, New York

Approved for the Owner by _____

Approved for the Architect by


Drawn by PA10545 Job Number 15003000

checked by

No.	Revisions Indicated thus Δ:	Date
	ADDENDUM NO. 12	12-18-81
Δ	ADDENDUM NO. 13	12-29-81
	REVISION FOR PLAIN CONCRETE	1-29-82
Δ	ADDENDUM NO. 26	2-24-82
Δ	ADDENDUM NO. 32	3-26-82
	ADDENDUM NO. 37 ISSUED FOR BUILDING PERMIT	4-30-82

Edw B. Taylor SE1117




KEY PLAN



Miscellaneous Concrete Details

SCALE AS NOTED

S-57



<u>RAMP RETAINING WALL SCHEDULE</u>					
"H"	"A"	B	REINF. "A"	REINF. "B"	REINF. "C"
≤16'-0"	3'-0"	G-0"	#6 @ 4'	#4 @ 10'	#6 @ 6'
≤14'-0"	3'-0"	5'-0"	#6 @ 6'	#4 @ 10'	#6 @ 10'
≤12'-0"	1'-6"	4'-6"	#6 @ 10'	#4 @ 10'	#6 @ 12'
≤6'-0"	1'-6"	2'-0"	#4 @ 10'	#4 @ 10'	#5 @ 12'

NOTE:
TRUCK DOCK RAMP RETAINING WALLS
NOT DESIGNED FOR CRANE SURCHARGE

