

## Norwalk, California

**Skidmore, Owings & Merrill**  
Architects/Engineers  
One Maritime Plaza  
San Francisco, California

**Jaros, Baum & Bolles**  
Consulting Engineers  
345 Park Avenue  
New York, New York


Approved for the Owner by \_\_\_\_\_

Approved for the Architect by \_\_\_\_\_

Drawn by <b>PAJOTA S</b>	Job Number <b>10293-200</b>
Checked by	Date <b>9-9-81</b>

Revisions		
No.	Revisions Indicated thus Δ:	Date
	ISSUE FOR STRUCTURAL STEEL SCOPE BID.	9-9-81
	ISSUE FOR STRUCTURAL STEEL MILL ORDER ADDENDUM NO.1	9-23-81
	ADDENDUM NO 2	10-7-81
	ISSUE FOR STRUCTURAL STEEL DETAILING ADDENDUM NO.4	10-28-81
	ISSUED FOR METAL DECK BID	11-3-81
Δ	ADDENDUM NO. 8	11-18-81
Δ	ADDENDUM NO.11	12-7-81
	ISSUED FOR CONCRETE BID	12-8-81
	ISSUED FOR FOUNDATION & PILE PERMIT	
Δ	ADDENDUM NO. 15	1-5-82
	REVISED FROM PLANS 000000	1-29-82
Δ	ADDENDUM NO. 32	3-28-82
	ADDENDUM NO. 37	4-30-82
	ISSUED FOR BUILDING PERMIT	
Δ	ADDENDUM NO. 41	5-17-82
Δ	ADDENDUM NO.88	10-28-82


5th B. Traylor SE 1117



Levels 4, 5, 6, 7, 8  
Typical Floor  
Framing Plans /  
West

Scale :  $1/8'' = 1' - 0''$

**S 10**



AREA A. TYPICAL	PSF	AREA B. LIGHT STORE	PSF	AREA C. FAN ROOM	PSF
2½" N.W. CONC. FILL ON 3" METAL DECK	53	2½" N.W. CONC. FILL ON 3" METAL DECK	53	2½" N.W. CONC. FILL ON 3" METAL DECK	53
PARTITIONS	20	PARTITIONS	20	4" FLOATING FLOOR (1)	50
CEILING	5	CEILING	5	3" HOUSEKEEPING PAD (1)	75
FIREPROOF & MISC.	5	FIREPROOF & MISC.	5	CEILING	75
				FIREPROOF & MISC.	5
DEAD LOAD	83	DEAD LOAD	83	DEAD LOAD	188
LIVE LOAD (1)	80	LIVE LOAD (2)	125	LIVE LOAD (1)	75

(1) REDUCED  
(2) NOT REDUCED

LOAD CAPACITIES FOR DESIGN ONLY  
NOT FOR CONSTRUCTION!

**NOTES**

1. REFERENCE ELEVATION = TOP OF STEEL (LO - 5) WITH RESPECT TO REFERENCE ELEVATION UNLESS NOTED THUS: [-1'-0" / 2"].
2. FOR GENERAL NOTES SEE (50) SEE (330) FOR TYPICAL METAL DETAILS  
FOR TYPICAL METAL DECK DETAILS SEE (542)  
FOR COLUMNS & FRAME GIRDERS SEE (515) (516)
3. FOR MISCELLANEOUS FRAMING AROUND FLOOR OPENINGS SEE (532)

4	$29 - 4$
5	$42 - 8$
6	$56 - 0$
7	$69 - 4$
8	$82 - 8$