

Norwalk, California

Skidmore, Owings & Merrill
Architects/Engineers
One Maritime Plaza
San Francisco, California

Paros, Baum & Bolles
Consulting Engineers
445 Park Avenue
New York, New York

Approved for the Owner by _____

Approved for the Architect


Drawn by	Job Number
----------	------------

checked by	Date
------------	------

Revisions		
No.	Revisions indicated there Δ:	Date
	ISSUE FOR STRUCTURAL STEEL MILL ORDER ADDENDUM NO.1	10-23-81
	ISSUE FOR STRUCTURAL STEEL DETAILING ADDENDUM NO.4	10-28-81
Δ	ADDENDUM NO.3	11-23-81
	ISSUED FOR CONCRETE BID ISSUED FOR FOUNDATION & PILE PERMIT	12-3-81
Δ	ADDENDUM NO.13	1-13-82
	ISSUED FOR PERM CHECK	1-27-82
Δ	ADDENDUM NO. 26	2-24-82
	ADDENDUM NO. 37 ISSUED FOR BUILDING PERMIT	4-30-82
	ADDENDUM NO.41	5-17-82
Δ	ADDENDUM NO.88	10-28-82

John B. Tryde SE 1117

KEY PLAN






-

Partial Framing Plans

Scale : as noted

S 14



NOTES REGARDING HOIST SUPPORT

1. BOLTS ARE $\frac{3}{4}$ " & ASTM A325-X
2. CHECK IN FIELD ALL DIMENSIONAL DETAILS ETC. PERTAINING TO EXISTING STRUCTURE.
3. COORDINATE WITH HOIST MANUFACTURER AS REQUIRED.
4. LENGTH OF HOIST BEAMS IS DEPENDENT UPON THE SIZE OF EXISTING CHILLER HOUSEKEEPING PADS. HOIST BEAM SHALL EXTEND 3'-0" BEYOND EDGE OF CHILLER PAD AS SHOWN ON SECTION G.