

Norwalk Building 43

Norwalk, California

Skidmore, Owings & Merrill
Architects/Engineers
One Maritime Plaza
San Francisco, California

Jaros, Baum & Bolles
Consulting Engineers
345 Park Avenue
New York, New York

Approved for the Owner by

Approved for the Architect by

Drawn by D. FALOTAS Job Number 10223-200


Checked by Date 9-9-81

Revisions

No.	Revisions Indicated thus: Δ	Date
1	ISSUE FOR STRUCTURAL STEEL SCOPE BID.	9-9-81
2	ISSUE FOR STRUCTURAL STEEL MILL ORDER ADDENDUM NO. 1	9-23-81
3	ADDENDUM NO. 2	10-7-81
4	ISSUE FOR STRUCTURAL STEEL DETAILING ADDENDUM NO. 4	10-28-81
5	ISSUED FOR METAL CHECK BID.	11-3-81
6	ADDENDUM NO. 3	11-8-81
7	ADDENDUM NO. 9	11-23-81
8	ADDENDUM NO. 11	12-7-81
9	ISSUED FOR CONCRETE BID	12-8-81
10	ISSUED FOR FOUNDATION & PILE PERMIT	1-5-82
11	ADDENDUM NO. 15	1-15-82
12	ISSUED FOR PLAN CHECK	1-29-82
13	ADDENDUM NO. 26	2-24-82
14	ADDENDUM NO. 37	4-10-82
15	ISSUED FOR BUILDING PERMIT	5-21-82
16	ADDENDUM NO. 43	5-21-82
17	ADDENDUM NO. 86	10-20-82
18	ADDENDUM NO. 94	12-17-82
19	ADDENDUM NO. 101	1-21-83

SEE B. TRYDE SE 117


KEY PLAN




Roof Framing Plan / East

Scale: 1/8" = 1' - 0"

S 11



ROOF PLAN (EAST HALF)
1/8" = 1' - 0"



AREA A. TYPICAL	PSF	AREA B. EQUIP.	PSF	AREA C. ELEV.	PSF
2 1/2" N.W. CONC. FILL ON 3" METAL DECK	53	2 1/2" N.W. CONC. FILL ON 3" METAL DECK	53	6" U.W. CONC. SLAB	75
CEILING ROOFING & INSULATION	10	6" HOUSEKEEPING PAD	75	6" HOUSEKEEPING PAD	75
FIRE ROOF & MISC.	5	CEILING	5	MISC.	5
DEAD LOAD	73	FIREPROOF & MISC.	5	DEAD LOAD	133
LIVE LOAD (2)	20			LIVE LOAD (1) (3)	75

LOAD CAPACITIES FOR DESIGN ONLY
NOT FOR CONSTRUCTION

- NOTES
1. REFERENCE ELEVATION = 100'-1" TOP OF STEEL ELEVATION WITH RESPECT TO REFERENCE ELEVATION UNLESS NOTED THUS: [-1'-0 1/2"]
 2. FOR GENERAL NOTES SEE (50) FOR TYPICAL STEEL DETAILS SEE (53) FOR TYPICAL METAL DECK DETAILS FOR COLUMNS & FRAME MEMBERS SEE (51) (52) (53) (54) (55) (56)
 3. FOR MISCELLANEOUS FRAMING AROUND FLOOR OPENINGS SEE (53)